



Hillerød Forsyning

DESIGNMANUAL




LOGO / PRIMÆRT  
1 LINJE  
RESPEKTAFSTAND



LOGO / SEKUNDÆRT  
2 LINJER  
RESPEKTAFSTAND



BOMÆRKE  
OUTLINE



LIGHT



BOLD



Hh

ABCDEFGHIJKLMNOPQRSTUVWXYZÆØÅ  
abcdefghijklmnopqrstuvwxyzæøå  
1234567890'?"!"(%)[#]{}&\<-+=>¥®©\$ € £;:,\*

**WORK SANS MEDIUM**

---

Hh

ABCDEFGHIJKLMNOPQRSTUVWXYZÆØÅ  
abcdefghijklmnopqrstuvwxyzæøå  
1234567890'?"!"(%)[#]{}&\<-+=>¥®©\$ € £;:,\*

**WORK SANS BOLD**

---

Hh

**ABCDEFGHIJKLMNOPQRSTUVWXYZÆØÅ**  
**abcdefghijklmnopqrstuvwxyzæøå**  
**1234567890'?"!"(%)[#]{}&\<-+=>¥®©\$ € £;:,\***






FARVER



CMYK: 85, 60, 45, 45  
RGB: 40, 65, 80

50%



CMYK: 75, 25, 70, 10  
RGB: 67, 136, 97

50%



CMYK: 60, 10, 10, 0  
RGB: 102, 184, 217

50%



CMYK: 7, 76, 73, 0  
RGB: 224, 89, 68

50%